Global Symbol Key

LineLazer IV 250DC
Self-Propelled Line Striper

334224A

Multilingual

For the application of line striping materials.
For professional use only. For outdoor use only.
Not for use in hazardous locations or explosive atmospheres.

Maximum Operating Speed: 10 mph (16 kph)
Maximum Operating Pressure: 3300 psi (22.8 MPa, 228 bar)




IMPORTANT SAFETY INSTRUCTIONS
Read all warnings and instructions in this manual and the engine manual. Be familiar with the controls and the proper usage of the equipment. Save these instructions.

Arabic	3
Áúëãàðñêè (Bulgarian)	4
中文 (Chinese)	28
Hrvatski (Croatian)	5
Èesky (Czech)	6
Dansk (Danish)	7
Nederlands (Dutch)	8
English (English)	2
Eesti (Estonian)	9
Suomi (Finnish)	10
Français (French)	11
Deutsch (German)	12
Åëëçíéêü (Greek)	13
Magyar (Hungarian)	14
Italiano (Italian)	15
日本語 (Japanese)	29
한국어 (Korean)	30
Latviski (Latvian)	16
Lietuviðkai (Lithuanian)	17
Norsk (Norwegian)	18
Jêzyk Polski (Polish)	19
Português (Portuguese)	20
Românã (Romanian)	21
Ðóññêèé (Russian)	22
Slovenèina (Slovakian)	23
Slovenšèina (Slovenian)	24
Español (Spanish)	25
Svenska (Swedish)	26
Türkçe (Turkish)	27


CE

English LL250 GLOBAL SYMBOL KEY

MENU SCREENS




شاشات قوائم مفاتيح الرموز العامة LL250 العربية



ti23824a_AR


Български ГЛОБАЛНИ СИМВОЛИ НА LL250

ЕКРАНИ НА МЕНЮТО




Hrvatski LL250 GLOBAL TIPKE SA SIMBOLIMA

ZASLONI S IZBORNICIMA




ti23824a_HR

Česky GLOBÁLNÍ KLÍČ K SYMBOLŮM ZAŘÍZENÍ LL250 – OBRAZOVKY NABÍDKY



Dansk LL250 GLOBAL SYMBOLTAST


-MENUSKÆRME



ti23824a_DA

Nederlands LL250 ALGEMENE VERKLARING


SYMBOLEN MENUSCHERMEN



ti23824a_NL

Eesti LL250 GLOBAALNE SÜMBOLITE VÕTI


MENÜÜEKRAANID



ti23824a_ET

Suomi LL250 MERKKIEN SELITYKSET


VALIKKORUUDUT



ti23824a_FI

Français TOUCHE SYMBOLE MONDE LL250


ÉCRANS DU MENU



ti23824a_FR

Deutsch LL250 GLOBALER SYMBOLSCHLÜSSEL


ZU DEN MENÜ-BILDSCHIRMEN



ti23824a_DE

Ελληνικά LL250 ΟΘΟΝΕΣ ΓΕΝΙΚΟΥ


ΜΕΝΟΥ ΠΛΗΚΤΡΩΝ ΣΥΜΒΟΛΟΥ



ti23824a_EL

Magyar LL250 GLOBÁLIS SZIMBÓLUM


MENÜKÉPERNYŐK



ti23824a_HU

Italiano SIMBOLI LL250 GLOBAL


SCHERMATE MENU



ti23824a_IT

Latviski LL250 IZVĒLNES EKRĀNU


VISPĀRPIEŅEMTIE SIMBOLU ATŠIFRĒJUMI



ti23824a_LV

Lietuviðkai LL250 BENDRŲJŲ SIMBOLIŲ MYGTUKŲ


MENIU LANGAI



ti23824a_LT

Norsk LL250 GLOBALE SYMBOLTASTER


MENYSKJERMER



ti23824a_NO

Jêzyk Polski LL250 OGÓLNA LEGENDA SYMBOLI


EKRANY MENU



ti23824a_PL

Português CHAVE DE SÍMBOLOS GLOBAL LL250


ECRÃS DE MENU



ti23824a_PT


Română

ECRANE DE MENIU CHEIE CU SIMBOL GLOBAL LL250




ti23824a_RO

Русский ГЛОБАЛЬНЫЕ КЛАВИШИ ЭКРАНОВ МЕНЮ LL250



Slovenèina GLOBÁLNY KĽÚČ K SYMBOLOM ZARIADENIA LL250 –


OBRAZOVKY S PONUKAMI



ti23824a_SK

Slovenšèina LL250 GLOBALNI SIMBOLI


MENI PRIKAZOVANJA



ti23824a_SL


Español DE TECLAS DE SÍMBOLO GENERALES LL250

PANTALLAS DEL MENÚ



ti23824a_ES


Svenska LL250 VIKTIGA MENYSKÄRMAR FÖR GLOBAL MENY



ti23824a_SV


Türkçe LL250 GLOBAL SEMBOL AÇIKLAMALARI

MENÜ EKRANLARI




ti23824a_TR

中文　LL250 国际符号按键菜单屏幕




中文　LL250 国际符号按键菜单屏幕



한국어 LL250 글로벌 기호 키

메뉴 화면



ti23824a_KO

Notes

Graco Information

For the latest information about Graco products, visit www.graco.com.

For patent information, see www.graco.com/patents.

TO PLACE AN ORDER, contact your Graco distributor or call 1-800-690-2894 to identify the nearest distributor.

All written and visual data contained in this document reflects the latest product information available at the time of publication.
Graco reserves the right to make changes at any time without notice.

Original instructions. This manual contains English. MM 334224

Graco Headquarters: Minneapolis
International Offices: Belgium, China, Japan, Korea

GRACO INC. AND SUBSIDIARIES • P.O. BOX 1441 • MINNEAPOLIS MN 55440-1441 • USA

Copyright 2012, Graco Inc. All Graco manufacturing locations are registered to ISO 9001.

www.graco.com
Revision A, July 2014